

SOIL > DENSITY DETERMINATION

SAND CONE / REPLACEMENT TEST SET

Code : T061



- The Sand Cone / Replacement Test Set is used to determine the in-situ density of compacted fine-grained soils using the sand replacement method, providing accurate measurements essential for quality control in earthworks and pavement construction.
- The test involves excavating a hole in the compacted soil layer, filling it with calibrated sand from a container, and measuring the volume of sand required to fill the hole, thereby calculating the soil's density.
- This apparatus is particularly effective for soils with particles smaller than 50 mm and is widely used in geotechnical investigations and construction projects to ensure compliance with compaction specifications.
- The set includes a sand cone, base plate, and a sand pouring cylinder or plastic jar, all constructed from durable materials to withstand rigorous field conditions and repeated use.
- Optional accessories, such as calibration containers and standard sand, are available to enhance the accuracy and reliability of test results, aligning with international testing standards.



STANDARDS

ASTM D1556 • AASHTO T191 • BS 1377-9 • BS 1924-2

SET

ASTM Set	SAND CONE SET - Ø 6.5"	SAND CONE SET - Ø 12"
Double-Cone	Cast-Aluminum (Ø 6.5")	Ø 12"
Base Plate	Cast-Aluminum	\checkmark
Plastic Jar	\checkmark	x

BS Set	SAND REPLACEMENT TEST SET	SAND REPLACEMENT TEST SET	SAND REPLACEMENT TEST SET
	- Ø 100 mm	Ø 150 mm	- Ø 200 mm
Cone Diameter	Ø 100 mm	Ø 150 mm	Ø 200 mm
Base Plate	\checkmark	\checkmark	\checkmark
Sand Pouring	1	\checkmark	√
Cylinder			
Calibration	Ø 100 mm x 150 mm	Ø 150 mm x 200 mm	Ø 200 mm x 250 mm
Container			

ORDERING INFORMATION

Item	Code
SAND CONE SET - Ø 6.5"	T061X06AH
SAND CONE SET - Ø 12"	T061X12AH



T061 DATASHEET

SAND REPLACEMENT TEST SET - Ø 100 mm	T061X10BH
SAND REPLACEMENT TEST SET Ø 150 mm	T061X15BH
SAND REPLACEMENT TEST SET - Ø 200 mm	T061X20BH
BASE PLATE for SAND CONE SET - Ø 6.5"	T061P001H
CALIBRATING CONTAINER for SAND CONE SET - Ø 6.5"	T061P002H
DOUBLE-CONE forSAND CONE SET - Ø 6.5"	T061P003H
PLASTIC JAR for SAND CONE SET - Ø 6.5"	T061P004H
BASE PLATE for SAND CONE SET - Ø 12"	T061P005H
DOUBLE-CONE for SAND CONE SET - Ø 12"	T061P006H
BASE PLATE for T-061/100	T061P007H
CALIBRATING CONTAINER for T-061/100	T061P008H
SAND POURING CYLINDER for T-061/100	T061P009H
BASE PLATE for T-061/150	T061P010H
CALIBRATING CONTAINER for T-061/150	T061P011H
SAND POURING CYLINDER for T-061/150	T061P012H
BASE PLATE for T-061/200	T061P013H
CALIBRATING CONTAINER for T-061/200	T061P014H
SAND POURING CYLINDER for T-061/200	T061P015H
STEEL PEG	T061P016H
STANDARD SAND	T061P017H
TROWEL	G712X001H
HAMMER - 1 kg	G713X010H
HAMMER - 1.5 kg	G713X015H
HAMMER - 2 kg	G713X020H
HAMMER - 3 kg	G713X030H



T061 DATASHEET

RUBBER MALLET	G714X001H
DENSITY SPOON	G715X001H
FLAT CHISEL	G733X001H
POINT CHISEL	G733X002H
DENSITY PICK	G751X001H